



Test Report/ Certificate of Analysis

Date of Report Nov 20, 2025
To: Azoth
From: AxisPharm, LLC
Certificate ID Number: 20Nov2025-04

Results reported by: Lab Technician
Ning Yang

Review/Approved by: 
QA Director
Dawei Yue

Sample Received: Date: 11/17/2025
Receiving Condition: ☒ Acceptable ☐ Other: _____
Storage Condition: ☐ Room temperature ☐ -20°C ☐ -80°C
☒ Other: __ 0 °C _____

Method(s): Sample Name: Semax Selank 15mg 15mg in 15ml; Label mg
Claim: 15mg/15mg; Brand Name: Azoth ; Lot#:
SXS1515N1125; MFD: 11/2025; BBD: 11/2026
LCMS

Procedure(s): Laboratory Activity Date: 10/19/2025
Results:

Sample Name	Net Weight Measured	MW (g/mol)	Detected	UV Purity (208nm) (%)
Semax Selank 15mg 15mg in 15ml	13.9 /13.7	813.93/751.9	815.4 [M+H]/753.5 [M+H]	>99

Salts and sugars that serves as fillers in injectables are not considered as impurities.

Conclusion: The product comes with Semax / Selank 13.9mg / 13.7 with purity >99.0%.

AxisPharm, LLC

Results only apply to tested samples within Test Report as received
Test Report shall not be reproduced except in full without approval of the laboratory